# Author Index Vol. 756


Antos, D., see Kaczmarski, K. 756(1996)73
Barberi, R., see Bonvent, J.J. 756(1996)233
Bartolino, R., see Bonvent, J.J. 756(1996)233
Beale, S.C., see Wang, C.-C. 756(1996)245
Berggren, K., see Carlsson, M. 756(1996)107
Bonvent, J.J., Barberi, R., Bartolino, R., Capelli, L. and Righetti, P.G.
Adsorption of proteins to fused-silica capillaries as probed by atomic force microscopy 756(1996)233
Boonkerd, S., Detaevernier, M.R., Vindevogel, J. and Michotte, Y.
Migration behaviour of benzodiazepines in micellar electrokinetic chromatography 756(1996)279
Braga de Oliveira, A., see Castro Braga, F. 756(1996)287
Brazier, J.L., see Dautraix, S. 756(1996)203
Brinkman, U.A.Th., see Somsen, G.W. 756(1996)145
Capelli, L., see Bonvent, J.J. 756(1996)233
Carlsson, M., Berggren, K., Linse, P., Veide, A. and Tjerneld, F.
Effects of fused tryptophan rich peptides to a recombinant protein A domain on the partitioning in polyethylene glycol–dextran and Ucon–dextran aqueous two-phase systems 756(1996)107
Casale, J.F. and Moore, J.M.
Lesser alkaloids of cocaine-bearing plants. III. 2-Carbomethoxy-3-oxo substituted tropane esters: detection and gas chromatographic–mass spectrometric characterization of new minor alkaloids found in South American *Erythroxylum coca* var. *coca* 756(1996)185
Casale, J.F., see Moore, J.M. 756(1996)193
Castro Braga, F., Kreis, W. and Braga de Oliveira, A.
Isolation of cardenolides from a Brazilian cultivar of *Digitalis lanata* by rotation locular counter-current chromatography 756(1996)287
Chaudron-Thozet, H., see Dautraix, S. 756(1996)203
Chu, C.-Y. and Sheu, S.-J.
Liquid chromatographic separation of the alkaloids in coptis–evodia herb couple 756(1996)137
Cooper, D.A., see Moore, J.M. 756(1996)193
Cramers, C., see Snijders, H. 756(1996)175
Dautraix, S., Guilluy, R., Chaudron-Thozet, H., Brazier, J.L. and Lamotte, A.
$^{13}C$ Isotopic analysis of an acetaminophen and diacetylmorphine mixture 756(1996)203
Detaevernier, M.R., see Boonkerd, S. 756(1996)279
Djordjevic, N.M., see Zhu, P.L. 756(1996)21
Djordjevic, N.M., see Zhu, P.L. 756(1996)63
Dolan, J.W., see Zhu, P.L. 756(1996)21
Dolan, J.W., see Zhu, P.L. 756(1996)41
Dolan, J.W., see Zhu, P.L. 756(1996)51
Dolan, J.W., see Zhu, P.L. 756(1996)63
Dongowski, G.
Determination of saturated and unsaturated oligogalacturonic acids by means of thin-layer chromatography 756(1996)211
Flieger, M., see Padiglioni, P. 756(1996)119
Fodor, P., see Mester, Z. 756(1996)292
Fritz, J.S., see Timerbaev, A.R. 756(1996)300
Gelfi, C., see Simò-Alfonso, E. 756(1996)255
Gooijer, C., see Somsen, G.W. 756(1996)145
Guilluy, R., see Dautraix, S. 756(1996)203
Haken, J.K. and Iddamalgoda, P.I.
Degradative polymer analysis by chromatography 756(1996)1
Hartmann, C., see Vander Heyden, Y. 756(1996)89
Hill, D.W., see Zhu, P.L. 756(1996)21
Hill, D.W., see Zhu, P.L. 756(1996)51
Hill, D.W., see Zhu, P.L. 756(1996)63
Hollands, A.M.J., see Vander Heyden, Y. 756(1996)89
Iddamalgoda, P.I., see Haken, J.K. 756(1996)1
Jagt, I., see Somsen, G.W. 756(1996)145
Janssen, H.-G., see Snijders, H. 756(1996)175
Kaczmarski, K. and Antos, D.
Modified Rouchon and Rouchon-like algorithms for solving different models of multicomponent preparative chromatography 756(1996)73
Kreis, W., see Castro Braga, F. 756(1996)287
Lamotte, A., see Dautraix, S. 756(1996)203
Lin, J.-T., see Zhu, P.L. 756(1996)63
Linse, P., see Carlsson, M. 756(1996)107
Lucisano, M., see Simò-Alfonso, E. 756(1996)255
Marchese, S., see Padiglioni, P. 756(1996)119
Marchiori, E., see Zanette, M. 756(1996)159
Marcomini, A., see Zanette, M. 756(1996)159
Massart, D.L., see Vander Heyden, Y. 756(1996)89
Mester, Z. and Fodor, P.
High-performance liquid chromatography–hydride generation–atomic fluorescence spectroscopic determination of arsenic species in water 756(1996)292
Michotte, Y., see Boonkerd, S. 756(1996)279
Moore, J.M., see Casale, J.F. 756(1996)185
Moore, J.M., Casale, J.F. and Cooper, D.A.
Comparative determination of total isomeric truxillines in illicit, refined, South American cocaine hydrochloride using capillary gas chromatography–electron capture detection 756(1996)193
Mosher, R.A., see Steinmann, L. 756(1996)219
Negishi, O. and Ozawa, T.
Determination of hydroxycinnamic acids, hydroxybenzoic acids, hydroxybenzaldehydes, hydroxybenzyl alcohols and their glucosides by high-performance liquid chromatography 756(1996)129
Nuyten, P., see Vander Heyden, Y. 756(1996)89
Otim, O., see Singhal, R. 756(1996)263
Ozawa, T., see Negishi, O. 756(1996)129
Padiglioni, P., Polcaro, C.M., Marchese, S., Sinibaldi, M. and Flieger, M.
Enantiomeric separations of halogen-substituted 2-aryloxypropionic acids by high-performance liquid chromatography on a terguride-based chiral stationary phase 756(1996)119
Polcaro, C.M., see Padiglioni, P. 756(1996)119

Righetti, P.G., see Bonvent, J.J. 756(1996)233
Righetti, P.G., see Simò-Alfonso, E. 756(1996)255
Samperi, R., see Zanette, M. 756(1996)159
Sander, L.C., see Zhu, P.L. 756(1996)21
Sander, L.C., see Zhu, P.L. 756(1996)63
Schoenmakers, P., see Vander Heyden, Y. 756(1996)89
Semenova, O.P., see Timerbaev, A.R. 756(1996)300
Sheu, S.-J., see Chu, C.-Y. 756(1996)137
Simò-Alfonso, E., Gelfi, C., Lucisano, M. and Righetti, P.G.
Performance of a series of novel N-substituted acrylamides in capillary electrophoresis of DNA fragments 756(1996)255
Singhal, R., Xian, J. and Otim, O.
Application of spherical and other polymers in capillary zone electrophoresis: separation of antiviral drugs and deoxyribonucleoside phosphates by different principles 756(1996)263
Sinibaldi, M., see Padiglioni, P. 756(1996)119
Snijders, H., Janssen, H.-G. and Cramers, C.
Optimization of temperature-programmed gas chromatographic separations. II. Off-line Simplex optimization and column selection 756(1996)175
Snyder, L.R., see Zhu, P.L. 756(1996)21
Snyder, L.R., see Zhu, P.L. 756(1996)41
Snyder, L.R., see Zhu, P.L. 756(1996)51
Snyder, L.R., see Zhu, P.L. 756(1996)63
Somsen, G.W., Jagt, I., Gooijer, C., Velthorst, N.H., Brinkman, U.A.Th. and Visser, T.
Identification of herbicides in river water using on-line trace enrichment combined with column liquid chromatography–Fourier-transform infrared spectrometry 756(1996)145
Steinmann, L., Mosher, R.A. and Thormann, W.
Characterization and impact of the temporal behavior of the electroosmotic flow in capillary isoelectric focusing with electroosmotic zone displacement 756(1996)219
Thormann, W., see Steinmann, L. 756(1996)219
Timerbaev, A.R. and Fritz, J.S.
Advanced possibilities on multi-element separation and detection of metal ions by capillary zone electrophoresis using precapillary complexation. I. Separation aspects 756(1996)300
Tjerneld, F., see Carlsson, M. 756(1996)107
Vander Heyden, Y., Hartmann, C., Massart, D.L., Hollands, A.M.J., Nuyten, P. and Schoenmakers, P.
Ruggedness testing of a size-exclusion chromatographic assay for low-molecular-mass polymers 756(1996)89
Van Heukelem, L., see Zhu, P.L. 756(1996)51
Van Heukelem, L., see Zhu, P.L. 756(1996)63
Veide, A., see Carlsson, M. 756(1996)107
Velthorst, N.H., see Somsen, G.W. 756(1996)145
Vindevogel, J., see Boonkerd, S. 756(1996)279
Visser, T., see Somsen, G.W. 756(1996)145
Waeghe, T.J., see Zhu, P.L. 756(1996)21
Waeghe, T.J., see Zhu, P.L. 756(1996)51
Wang, C.-C. and Beale, S.C.
Preparation of linear polyacrylamide gel step gradients for capillary electrophoresis 756(1996)245
Xian, J., see Singhal, R. 756(1996)263
Zanette, M., Marcomini, A., Marchiori, E. and Samperi, R.
High-performance liquid chromatographic–fluorescence determination of aliphatic alcohol polyethoxylates and polye(thylene glycol)s in aqueous samples 756(1996)159
Zhu, P.L., Dolan, J.W. and Snyder, L.R.
Combined use of temperature and solvent strength in reversed-phase gradient elution. II. Comparing selectivity for different samples and systems 756(1996)41
Zhu, P.L., Snyder, L.R., Dolan, J.W., Djordjevic, N.M., Hill, D.W., Sander, L.C. and Waeghe, T.J.
Combined use of temperature and solvent strength in reversed-phase gradient elution. I. Predicting separation as a function of temperature and gradient conditions 756(1996)21
Zhu, P.L., Dolan, J.W., Snyder, L.R., Hill, D.W., Van Heukelem, L. and Waeghe, T.J.
Combined use of temperature and solvent strength in reversed-phase gradient elution. III. Selectivity for ionizable samples as a function of sample type and pH 756(1996)51
Zhu, P.L., Dolan, J.W., Snyder, L.R., Djordjevic, N.M., Hill, D.W., Lin, J.-T., Sander, L.C. and Van Heukelem, L.
Combined use of temperature and solvent strength in reversed-phase gradient elution. IV. Selectivity for neutral (non-ionized) samples as a function of sample type and other separation conditions 756(1996)63